

CONTRACT NO:
 02-4G3804
 BID AMOUNT:
 \$5,203,191.00
 BID OPENING DATE:
 10/20/16

Low Bidder

BIDDER'S NAME:
Mercer-Fraser Company
 DBE GOAL FROM CONTRACT %:
 11%

DBE PRIME CONTRACTOR CERTIFICATION ¹ :	TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE)	TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE)
	7	\$661,994.22

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
49 (partial)	Supply Minor Concrete	C3901	S.T. Rhoades Construction, Inc. P.O. Box 494520 DBE# 37693 Redding, CA 96002 (530) 223-9322	\$135,278.00
36	Wood Mulch	C2020	M&S Environmental Landscapes 12192 Mac's Rd. DBE# 030736 Redding, CA 96003 (530) 241-1418	\$14,454.00
49 (partial), 58	Supply Minor Concrete, Misc. Iron and Steel	C3901, C7500	GR Sundberg, Inc. 5211 Boyd Rd. DBE# 31060 Arcata, CA 95521 (707) 825-6563	\$2,280.72
Various Items	Trucking	C9774	Frank Zabel Trucking, Inc. P.O. Box 6236 DBE# 4823 Eureka, CA 95502 (707) 443-4277	\$47,190.00
51-55	Supply Pipe	C0670	Water Components & Building Supply 44 Simms St. DBE# 27363 San Rafael, CA 94901 (415) 465-2270	\$10,003.84
47	Supply Tack Oil	C0624	Spirit Road Oils 16490 Vineyard Blvd. DBE# 01378 Morgan Hill, CA 95037 (408) 465-2270	\$14,895.00

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

³Use Work Category Codes from the California Unified Certification Program database.

Total Claimed Participation	\$ See additional page
	%

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).

Signature of Bidder

10/20/16 (707) 443-6371
 Date Date (Area Code) Tel. No.

Walt Hurst
 Person to Contact (Please Type or Print)

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
DBE - COMMITMENT
 DES-OE-0102.10D (REV 12/2014)

CONTRACT NO:
 02-4G3804

BID AMOUNT:
 \$ 5,203,191.00

BID OPENING DATE:
 10/20/16

BIDDER'S NAME:
 Mercer-Fraser Company

DBE GOAL FROM CONTRACT %:
 12%

DBE PRIME CONTRACTOR CERTIFICATION ¹ :	TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE) 7	TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE) \$723,523.56
---	---	---

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
38-40	Supply Oil and Trucking	C9608, C9774	Black Diamond Asphalt, Inc. 118 Main St. DBE# 22999 Vacaville, CA 95688 (707) 448-9402	\$499,422.00

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

³Use Work Category Codes from the California Unified Certification Program database.

Total Claimed Participation	\$723,523.56
	14 %

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).

Signature of Bidder

10/20/16
 Date

(707) 443-6371
 (Area Code) Tel. No.

Walt Hurst
 Person to Contact

(Please Type or Print)

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
DBE CONFIRMATION
DES-0E-0102.13 (NEW 05/2015)

Contract no
02-4G3804

Name of DBE business
GR Sundberg, Inc.

Name of DBE representative
Bettina Rheinschmidt

DBE certification number
31060

Name of bidder
Mercer-Fraser Company

Name of prime contractor if different from the bidder.

Name of representative of bidder or prime contractor

Date:
10/21/16

Bid Item number	Item of work and description of services to be subcontracted or materials to be provided *	Amount (\$)
49, 58	Supply minor concrete, Misc Iron and Steel	\$3,801.20

* If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

Total **\$3,801.20**

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder of prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.

Signature of DBE's authorized representative

B. Rheinschmidt

Printed name of DBE's authorized representative:

Office Manager

Title of DBE's authorized representative

10/24/2016

Date:

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-08, Sacramento, CA 95814.

Contract No. 02-4G3804

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
DBE CONFIRMATION
DES-0E-0102.13 (NEW 05/2016)

Contract no.
02-4G3804
Name of DBE business
Water Components & Building Supply
Name of DBE representative:
Kiley Olson
DBE certification number.
27363
Name of bidder
Mercer-Fraser Company
Name of prime contractor if different from the bidder:

Name of representative of bidder or prime contractor:

Date
10/21/16

Bid item number	Item of work and description of services to be subcontracted or materials to be provided	Amount (\$)
51-55	Supply Pipe	\$10,003.84

If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

Total	\$10,003.84
-------	--------------------

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.

Kiley Olson
Signature of DBE's authorized representative:
KILEY OLSON
Printed name of DBE's authorized representative:
Estimate Manager
Title of DBE's authorized representative:
10/24/16
Date:

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1235, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-88, Sacramento, CA 95814

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
DBE CONFIRMATION
 DES-OE-0102 13 (NEW 05/2015)

Contract no
 02-4G3804
 Name of DBE business
 Black Diamond Asphalt
 Name of DBE representative:
 Estimator
 DBE certification number:
 22999
 Name of bidder
 Mercer-Fraser Company
 Name of prime contractor if different from the bidder.

 Name of representative of bidder or prime contractor:

Date
 10/24/16

Bid item number	Item of work and description of services to be subcontracted or materials to be provided	Amount (\$)
38-40	Supply Oil and Trucking	\$499,422.00

If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished

Total \$499,422.00

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.

Allison Lagan
 Signature of DBE's authorized representative
 ALLISON LAGAN
 Printed name of DBE's authorized representative
 PRESIDENT
 Title of DBE's authorized representative
 10/24/16
 Date

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-88 Sacramento, CA 95814

S.T. RHOADES CONSTRUCTION INC.

IN



8585 COMMERCIAL WAY, REDDING, CA 96002

P.O. BOX 494520, REDDING, CA., 96049

530-223-9322, Fax 530-223-9222, License # 930684

MBE/SBE- 1247344, U/DBE-37693, UNIONS-OPERATORS, LABORERS

DIR # 1000008025

PROPOSAL

To: General Contractors

Attn:

Project: 02-4G3804

Date:

10/20/2016

Bid date:

10/20/2016

98%

Item	Description	Quantity	UM	Unit Price	Amount
49	Minor Concrete (minor str) partial- Transition Anchor Block and Anchor Block Only	22.36	cy	\$ 6,050.00	\$ 135,278.00
				Total:	\$ 135,278.00

Notes:

- Notes
- Proposal valid for 30 days, Allow 10 days for scheduling
 - Payment to be made 15 days after work is completed
 - All Work to be available upon mobilization to site and performed consecutively
 - Quote is non separable.
 - STR
 - Excludes traffic control
 - Includes for Form/Pour/Strip Only

Excludes:

- Exc.
- Bonds
 - Permits
 - Raising/Lowering Iron
 - Fees
 - Striping
 - Staking
 - Engineering
 - Excavation/Backfill

Respectively Submitted,
Brian Zarr
 Estimator

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING CA 96002

P.O. BOX 494520, REDDING, CA., 96049

530-223-9322, Fax 530-223-9222, License # 930684

MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

DIR # 1000008025

Standard Asphalt Concrete Grinder/ Cold plane Quotation

10/20/2016

CT02-4G3804

Wirtgen 2000DC 78" grinder/cold planer \$ 4200.00 daily rate minimum, O.T. @ \$ 595 per hour

Saturday minimum rate \$ 5000, Sunday/holiday rate \$ 5750 minimum

NOTE: Daily rate based on 8 hour shift, all grinders/cold planers will have 2 operators min./max.

Excludes:

- Water for machines supplied by others and is not included in rental rate. The machine requires approx. 425 gallons per hr.
- Mobilization is not included in rental, additional @ \$ 130 per hr (from Redding). Plus a pilot car when required.
- Under ground service alert, locating of any utilities, monuments, valve boxes, pipe, man hole lids, any obstacle above or below surface.
- Repair charges for damage to machine or property will be customers responsibility.
- Referencing, layout marking.
- Areas machine will not reach.
- Clean up, sweeping, off hauling of materials.
- Permits, bonds, temporary striping
- Portland cement grinding
- Responsibility for Safety hazards as a result of grinding/cold planing operations.
- Subsistence and night rates.
- Hazardous Materials Removal

Includes:

- Rates include one set of teeth per shift. Additional boxes of teeth are \$ 375 per box
- S.T. Rhoades Const. pursuant to this agreement, we will perform extra work (subject to our prior approval) at Cal Trans rental / force account rates.
- Cutting capability up to 8" depth in one pass.
- S.T. Rhoades Const. Inc. purposes within this proposal produces airborne & surface particulates, water runoff & mud. These machines have a decibel rating of 90 dba @ 25', and the customer acknowledges the scope S.T. Rhoades Const. Inc. work includes changing the elevation of the existing roadway. By accepting this proposal, the customer releases & agrees to hold S.T. Rhoades Const. Inc. harmless for claims or damages arising out of or related to these or other by-products of its normal use.

10 day notice to schedule.

Payment in full within 30 days from invoice date

Respectively Submitted

Brian Zarr, Estimator

S.T.RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY REDDING, CA 96002

P.O. BOX 494520, REDDING, CA.,96049

530-223-9322, FAX 530-223-9222 License # 930684

MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS



DIR # 1000008025

To: General Contractors

Date: 10/20/16

Attn: ESTIMATORS

Project: 02-4G3804

Item	Description	QTY	UM	Price
A	1 Man 1 Lane 1 Mile day or night (includes cones, 1 man, traffic control truck, standard construction area signs. GC to provide Helper)	1	shift	\$ 950.00
B	Additional lane same direction	1	ea	\$ 150.00
C	Additional lane opposite direction	1	ea	\$ 200.00
D	Additional mileage	1	ea	\$ 85.00
E	Ramp closure with lane closure minor detour	1	ea	\$ 75.00
F	Ramp closure w.o lane closure minor detour	1	ea	\$ 925.00
G	1 man lane closure overtime rate	1	hr	\$ 100.00
H	Additional man	1	shift	\$ 625.00
I	Pilot car	1	shift	\$ 875.00
J	2 flaggers 8 hr shift, signs, cones	1	shift	\$ 1,400.00
J.1	2 flaggers 8 hr shift, signs, cones, rumble strips	1	shift	\$ 1,650.00
K	2 flaggers overtime rate	1	hr	\$ 200.00
K.1	2 flaggers overtime rate w/rumble strips	1	hr	\$ 200.00
L	2 flaggers 8 hr night/special shift	1	shift	\$ 1,500.00
L.1	2 flaggers 8 hr night/special shift w/rumble strips	1	shift	\$ 1,725.00
M	2 flaggers overtime night/special shift	1	hr	\$ 225.00
M.1	2 flaggers overtime night/special shift w/rumble strips	1	hr	\$ 225.00
N	Light Plant Rental (excludes fuel and mob to job)	1	day	\$ 100.00
O*	Portable changeable message sign	1	day	\$ 200.00
		1	week	\$ 450.00
		1	month	\$ 900.00
Q	Shoulder closure	1	shift	\$ 825.00
S	Pilot car overtime	1	hr	\$ 95.00

Notes

- Proposal valid for 30 days, Allow 10 days for scheduling
- 1 shift - up to and minimum of 8hrs, up to 1 mile
- Rates valid for 2016 only.
- Quoted rates do not include .5 hr lunch requirement. GC to relieve Flagger
- GC to provide breaks and monitor for heat exposure
- Shift starts at placement of first sign and ends at removal of last sign
- Sunday/Saturday/Holiday rates available upon request
- Multiple move ins and outs may require additional charges
- Cancellations to be booked 24 hours in advance. Otherwise show up costs will be reimbursed.
- Mobilization of Message Boards @ \$400.00/each to site and \$400.00 Demob from site
- We will not participate in CT extra work for shared flagger costs.

Exc

- Bonds
- Permits
- Mobilization, call for rates
- No Retention to be held
- Theft and Vandalism Costs

Respectively Submitted,
Brian Zarr

IN

M&S Environmental Landscapes, Inc.
 12192 Mac's Road
 Redding, CA 96003
 530-241-1418 FAX 530-241-9647
 DIR Registration No. 1000010084
 CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030738

10/19/16

Bid For - CT# 02-4G3804

Construction on state Highway in Trinity County at and near Salyer from Humboldt County line to Gray
 Creek Road,

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
----------	-------------	-------	----------	---------------	-----------

100%

36	Wood Mulch	CY	180	80.30 \$	14,454.00
----	------------	----	-----	----------	-----------

TOTAL \$ 14,454.00

ADDITIONAL BID NOTES

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One Move-in is included in total Bid, unless otherwise stated. Additional move-in (if necessary) at the rate of \$600 each.
- * An estimated 1 acres of Hydroseeding can be done in one working day. Stand-by-time will be billed at \$800 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mll umbrella will result in additional charge.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

CALIFORNIA UNIFIED CERTIFICATION PROGRAM DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

M & S ENVIRONMENTAL LANDSCAPES, INC

12192 MACS ROAD
REDDING, CA 96003

Owner: MICHAEL SMITH
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 561730 Landscaping Services

238910 Site Preparation Contractors

Work Category Code(s)

C0620 LANDSCAPING & NURSERY
C2020 SOIL AMENDMENTS
C2030 EROSION CONTROL

C2000 HIGHWAY PLANTING
C2021 HYDROSEEDING
C2065 IRRIGATION SYSTEM

Licenses

C27 Landscaping Contractor

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 30736

James Salas
UCP OFFICER

April 24, 2012

Unified Certification Program

[Back To Query Form](#)

Wed Jan 20 10:22:42 PST 2010

Search Returned 1 Records

Query Criteria
Firm ID: 30736

Firm ID	30736
Firm/DBA Name	M & S ENVIRONMENTAL LANDSCAPES, INC
Address Line1	12192 MAC'S ROAD
Address Line2	
City	REDDING
State	CA
Zip Code1	96003
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	SMBE
EMail	mandserviro@aol.com
Area Code	(530)
Phone Number	241-1418
Fax Area Code	(530)
Fax Phone Number	241-9647
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 03; 04; 05; 06; 07; 08; 09; 11; 12; 17; 18; 21; 23; 25; 27; 28; 29; 31; 32; 34; 38; 45; 46; 47; 48; 49; 51; 52; 53; 57; 58;
Districts	01; 02; 03; 04; 05; 10;
DBE NAICS	238910; 661730;
ACDBE NAICS	
Work Codes	C0820 LANDSCAPING & NURSERY; C1801 CLEARING & GRUBBING; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; C2021 HYDROSEEDING; C2030 EROSION CONTROL; C2065 IRRIGATION SYSTEM; C27 Landscaping Contractor;
Licenses	M
Gender	HISPANIC
Ethnicity	SMBE
Firm Type	

[Back To Query Form](#)

1/20/2010

GRADING - PAVING - EXCAVATING - UNDERGROUND UTILITIES



5211 Boyd Road, Arcata, CA 95521 (707) 825-6565 Fax (707) 825-6563

QUOTE - 102

OWNER: Caltrans
PROJECT: 02-4G3804
LOCATION: Trinity County at and near Salyer

PHONE:
FAX:
BID DATE: 10/20/2016

BID ITEM	Description	UNIT	QTY	\$ / UNIT	TOTAL
2 1/2 49(F)	Minor Concrete (Minor Structure) (DI's and Headwall only)	CY	4.5	\$ 696.00	\$ 3,132.00
58(F)	Miscellaneous Iron and Steel	LB	478	\$ 1.40	\$ 669.20
					\$ -
xx	Mobilization - Delivered to Jobsite (Can be deleted from quote if you pick up in Arcata, CA. 1 drop location per delivered load)	LS	1	\$ 500.00	\$ 500.00
TOTAL					\$ 4,301.20

NOTE:

TERMS & EXCLUSIONS

- 1 F.O.B Arcata, CA. Can deliver for above mentioned price.
- 2 Miscellaneous iron and steel cannot be purchased separately.
- 3 Installation is by others. This quote is to custom pre-cast and supply to job only.
- 4 All Units will be two piece minimum, except units with short heights.
- 5 All Minor Concrete manufactured per Caltrans Standards and Project Specifications and are subject to engineer's approval
- 6 A Certificate of Compliance is included.
- 7 Please contact GRS prior to bid opening if you are interested in breaking out items. This quote cannot be separated without prior authorization from GRS.
- 8 Prices include delivery. Owner to secure truck access and unload. Delays in unloading shall be charged at \$100 per hour. If multiple drop locations per load occur, there will be a \$50 fee per additional drop location.
- 9 Scheduling of deliveries/pickup are to be agreed upon by Buyer and Seller. At least 1 week notice is required to schedule each delivery.
- 10 Sales Tax NOT included
- 11 Terms: By signing this proposal, Customer agrees to pay for all above described work by the 10th of the month following purchase. A finance charge at the rate of 1 1/2 % per month will be charged on all past due accounts. Payment not dependent upon buyer receiving funds from other sources. Credit cards not accepted.
- 12 Due to fluctuations in material pricing, our proposal is void after 30 days from above date if no purchase order is received.
- 13 Please contact Dave Gunderson at 707-496-7305 at least 30 days prior to the start of fabrication.

Handwritten notes:
 3801.20
 x 60%
 2280.72
 CS/B 732695

By: Bettina Rheinschmidt
 Bettina Rheinschmidt
 Office Manager

*** GR Sundberg is a certified DBE, UDBE, and Small Business ***
 UDBE # 31060 SBE #
 DIR# 1000001216

Accepted: _____

FRANK ZABEL TRUCKING, INC.

CONSTRUCTION MATERIAL HAULING
SINCE 1974

P.O. BOX 6236

EUREKA, CA 95502-6236

(707) 443-4277 FAX-(707) 443-4267

EMAIL-zabeltrucking@gmail.com

176,649

MERCER-FRASER COMPANY

October 19, 2016

Listed below are trucking quotes for: CALTRANS CONTRACT #02-4G3804, 02-TRI-299-0.0/8.3, NEAR SALYER . Bid date October 20, 2016.

5-Axle - Semi End/Bottom Dump Trucks, Transfers..\$ 115.00 per hour

3-Axle - Dump Trucks (10-Wheelers).....\$ 108.00 per hour

Travel time as needed = \$16,500-

Per Diem - \$ 75.00 per truck = \$21,000-

Trucking =

Lowbeds, Flatbeds, Water Trucks and Heavy Equipment available

USE

FRANK ZABEL TRUCKING, INC. IS CERTIFIED WITH:

CALTRANS - D.B.E./S.M.B.E. #4823

CA - D.G.S. S.B. #20582

CA - P.U.C. M.B.E. #9CN00099

CA - D.I.R. #1000016307

USE \$47,190-

**JANET SIMAS PAVING, Inc. DBA
SPIRIT ROAD OILS**



State Contractors License
No. 472697

16490 Vineyard Boulevard, Morgan Hill, CA 95037
Office (408) 465-2270 Calif (800) 637-2040 Fax (408) 465-2288

American Indian owned and operated
DBE# 01378
DIR# 1000008185
Bid/Fax# 14616

We are CALTRANS Certified
UDBE, SBE, MBE & WBE
Material Supplier Only

10

47

Submitted to: MERCER-FRASER Attn: EST. DEPT
Bid Date: 10/20/16 Time: _____ Project# 02-463804
Project: PLACE RUBBERIZED HOT MIX ASPHALT, GUARDRAIL

Item#	Est. Amount	Description	Unit	Est. Total
<u>45 TONS</u>		<u>SS-1H</u>	<u>@465</u> Per Ton + Sales Tax	
			Per Ton + Sales Tax	
		Delivery Charge:	<u>\$1,950</u> EACH DELIVERY	
		Spread Charge:	<u>\$185</u> Per hour, 4 hour Minimum	

Handwritten notes:
\$20,925
\$3,900
\$24,825 x 60%
\$14,895

If spreading at night, Hourly rate is: \$195 per hour. Same Minimum Applies.

Comments: SALES TAX NOT INCLUDED

QUOTATION EXPIRES 30 DAYS FROM BID DATE. PRICES GOOD FOR 30 DAYS AFTER QUOTATION IS ACCEPTED

We can arrange for delivery & spread of products, which is not UDBe. You will not be receiving UDBe credit for Spreading and Delivery.

2 Ton Minimum for Oil Purchase. 0% RETENTION TO BE HELD.
Waiver of Subrogation fee for Workers Comp. Insurance shall be charged at \$250.00

DUE TO MARKET VOLATILITY THE PRODUCT QUOTED MAY BE INFLUENCED UP OR DOWN BY THE CALTRANS ASPHALT INDEX. ALL PRICES QUOTED STRAIGHT OR CLUT WITH WATER. PROTECTION OF EXISTING CONCRETE AND STRIPING BY OTHERS. ALL IN ROUTE CANCELATIONS WILL BE CHARGED AT SPREAD RATE PORT TO PORT.

Quoted by: Janet Simas



October 19, 2016
Mercer Fraser Construction
Attn: Justin Zabel

***EMAIL QUOTE:**

jzabel@mercerfraser.com

Project: Trinity County near Salyer from Humboldt County to Gray Creek Road
Caltrans: 02-4G3804
Bid Date; October 20, 2016

<u>Bid Item</u>	<u>Product</u>	<u>Quantity US Ton</u>	<u>Delivered To Willow</u>
<u>Creek</u>	PG 64-16	[REDACTED]	[REDACTED]

Black Diamond Asphalt, Inc. is a Caltrans certified DBE supplier.
Certification number: 22999

- Above price for freight and material is based on full loads
- It is our understanding this project is subject to COPI 5%.
- This quote does NOT include sales/use tax of federal spill funds.
- Diesel Fuel Surcharge (DFSC) is NOT Included.

\$ 499,422^a

THESE PRICES ARE VALID FOR 15 DAYS FROM THE DATE OF THIS QUOTE

- THIS QUOTE DOES NOT GUARANTEE SUPPLY OR TRANSPORTATION UNTIL WE RECEIVE A SIGNED ACCEPTANCE TO CONFIRM THIS QUOTE.
- There shall be no obligation to have available or deliver any or all of the products included on the quote in the customary manner when such availability or deliveries are prevented or hindered by an Act of God, fire, strike, partial or total interruption or loss or shortage of transportation facilities, or by; any other similar or different acts of civil or military authorizes, or by other like causes beyond the control of Black Diamond Asphalt.

SIGNED ACCEPTANCE _____ DATE _____

ATTACHMENT A

DBE COMMITMENT

CONTRACT # 02-4G3804

Mercer-Fraser Company
P.O. Box 1006
Eureka, CA 95502
Phone: 707-443-6371
Fax: 707-443-0277

Invitation To Bid
Attn: Estimator

Owner: Caltrans
Project: Place Rubberized Hot Mix AC, Guardrail & Drainage
Contract #: 02-4G3804
Bid Date/Time: 10/20/16
Contacts: Justin Zabel, Mark Benzinger

Mercer-Fraser is currently requesting quotes from all **qualified DBE subcontractors and/or suppliers** for the following items of work:

1	070030	LEAD COMPLIANCE PLAN
2	120090	CONSTRUCTION AREA SIGNS
3	120100	TRAFFIC CONTROL SYSTEM
4	128652	PORTABLE CHANGEABLE MESSAGE SIGN (LS)
5	130100	JOB SITE MANAGEMENT
6	130200	PREPARE WATER POLLUTION CONTROL PROGRAM
7	130620	TEMPORARY DRAINAGE INLET PROTECTION
8	130640	TEMPORARY FIBER ROLL
9	032032	MODIFIED TEMPORARY SILT FENCE (ESA)
10	130730	STREET SWEEPING
11	130900	TEMPORARY CONCRETE WASHOUT
12	141000	TEMPORARY FENCE (TYPE ESA)
13	141120	TREATED WOOD WASTE
14	150203	ABANDON CULVERT (EA)
15	150630	REMOVE MARKER
16	150661	REMOVE GUARDRAIL
17	150714	REMOVE THERMOPLASTIC TRAFFIC STRIPE
18	150715	REMOVE THERMOPLASTIC PAVEMENT MARKING
19	150771	REMOVE ASPHALT CONCRETE DIKE
20	150809	REMOVE CULVERT (LF)
21	150814	REMOVE DOWNDRAIN (EA)
22	150820	REMOVE INLET
23	150821	REMOVE HEADWALL
24	150859	REMOVE ASPHALT CONCRETE OVERSIDE DRAIN
25	151224	REMOVE DELINEATOR
26	032033	RECONSTRUCT GUARDRAIL (STEEL POST)
27	032034	RECONSTRUCT TERMINAL SYSTEM (TYPE SRT)
28	152320	RESET ROADSIDE SIGN
29	152430	ADJUST INLET
30	152501	ADJUST GUARDRAIL
31	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT
32	160102	CLEARING AND GRUBBING (LS)
33	170101	DEVELOP WATER SUPPLY
34	190101	ROADWAY EXCAVATION
35	190185	SHOULDER BACKING
36	205035	WOOD MULCH
37	260203	CLASS 2 AGGREGATE BASE (CY)

38	390132	HOT MIX ASPHALT (TYPE A)
39	390137	RUBBERIZED HOT MIX ASPHALT (GAP GRADED)
40	390402	RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE)
41	394060	DATA CORE
42	394073	PLACE HOT MIX ASPHALT DIKE (TYPE A)
43	394074	PLACE HOT MIX ASPHALT DIKE (TYPE C)
44	394076	PLACE HOT MIX ASPHALT DIKE (TYPE E)
45	394077	PLACE HOT MIX ASPHALT DIKE (TYPE F)
46	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
47	397005	TACK COAT
48	032035	RAIL ELEMENT WALL (STEEL POST)
49(F)	510502	MINOR CONCRETE (MINOR STRUCTURE)
50	650014	18" REINFORCED CONCRETE PIPE
51	665024	24" CORRUGATED STEEL PIPE (.109" THICK)
52	690124	24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK)
53	692309	24" ANCHOR ASSEMBLY
54	702123	24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK)
55	705015	24" STEEL FLARED END SECTION
56	721015	ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY)
57	729011	ROCK SLOPE PROTECTION FABRIC (CLASS 8)
58(F)	750001	MISCELLANEOUS IRON AND STEEL
59	820108	DELINEATOR (CLASS 2)
60	820110	MILEPOST MARKER
61	820112	MARKER (CULVERT)
62	820151	OBJECT MARKER (TYPE L-1)
63	032055	METAL BEAM GUARD RAILING (STEEL POST)
64	832070	VEGETATION CONTROL (MINOR CONCRETE)
65	839303	SINGLE THRIE BEAM BARRIER (STEEL POST)
66	032036	MODIFIED DOUBLE THRIE BEAM BARRIER
67	032037	TRANSITION RAILING (TYPE WB)
68	839540	TRANSITION RAILING (TYPE STB)
69	032038	MODIFIED TRANSITION RAILING (TYPE WB)
70	032039	MODIFIED BURIED END ANCHOR ASSEMBLY
71	839584	ALTERNATIVE IN-LINE TERMINAL SYSTEM
72	840504	4" THERMOPLASTIC TRAFFIC STRIPE
73	840506	8" THERMOPLASTIC TRAFFIC STRIPE
74	840515	THERMOPLASTIC PAVEMENT MARKING
75	840523	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)
76	840525	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)
77	850122	PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Mercer-Fraser Company will work with interested subcontractors to identify opportunities to break down items into economically feasible packages.

Please fax or email your response and scope to (707) 443-0277 or lday@mercerfraser.com

NAME OF BUSINESS: _____

WE CAN PARTICIPATE IN THIS CONTRACT

TYPE OF SERVICE OR SUPPLIES: _____

WE CANNOT PARTICIPATE IN THE CONTRACT

SIGNATURE: _____ DATE: _____

Mercer-Fraser Company is a union signatory contractor. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. 100% Performance and Payment Bonds may be required. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing. All Subcontractors will be required to sign our standard Subcontract Agreement. Plans and specifications are available for viewing at our office or you may call Mercer-Fraser Company for further assistance. Please call if assistance is needed in obtaining bonding, insurance, equipment, materials and supplies. Mercer-Fraser Company intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will consider all bids that may be submitted.

ATTACHMENT B

DBE QUOTES USED

CONTRACT # 02-4G3804

Call Log
02-463804

SOLICITATION LOG

This document contains the solicitations logs for this outreach effort.

6 RIVERS CONSTRUCTION, INC.

200 REDWOOD GROVE RD • HOOPA, CA, 95546

Cert. #41039 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 515-7563	2016-10-12 12:32:45	Grant N	

Comments: No, not submitting a quote for this project. They are too busy with other work at this time.

2nd Call Solicitation

Said not bidding during first call, so second call not made.

ALLEN GILL CONSTRUCTION, INC.

10101 OAK RUN ROAD • OAK RUN, CA, 96069

Cert. #15324 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 547-4334	2016-10-12 15:45:47	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 547-4334	2016-10-18 16:09:49	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

BAY LINE CUTTING & CORING, INC.

1635 FOURTH STREET • BERKELEY, CA, 94710

Cert. #21117 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(415) 508-1800	2016-10-12 12:45:29	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(415) 508-1800	2016-10-18 16:33:40	Estimator N	

Comments: No, not submitting a quote for this project.

COLEMAN ENVIRONMENTAL ENGINEERING INC

85 EAST HIGHWAY 20 • UPPERLAKE, CA, 95485

Cert. #42591 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 275-9016	2016-10-12 12:47:12	Lisa N	

Comments: No, not submitting a quote for this project.

2nd Call Solicitation

Said not bidding during first call, so second call not made.

FRANK MEDINA GENERAL ENGINEERING CONTRACTOR

10096 AHART ROAD • OROVILLE, CA, 95966

Cert. #14717 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 743-0744	2016-10-12 12:52:13	Toni N	

Comments: No, not submitting a quote for this project.

2nd Call Solicitation

Said not bidding during first call, so second call not made.

FRANK ZABEL TRUCKING, INC.

4726 CUMMINGS ROAD • EUREKA, CA, 95503

Cert. #4823 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 443-4277	2016-10-12 12:54:56	Barbara M	

Comments: May be interested in bidding, however, the call was hung up once I began speaking.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 443-4277	2016-10-18 16:38:54	Barbara Y	

Comments: Yes, will bid. She has already talked to them.

GENERAL SUPPLY COMPANY

971 87TH AVENUE • OAKLAND, CA, 94621

Cert. #1170 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(510) 632-5229	2016-10-12 12:59:36	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(510) 632-5229	2016-10-18 14:38:00	Unable to connect	M

Comments: May be interested in submitting a quote, however the call would not connect.

GR SUNDBERG, INC.

5211 BOYD ROAD • ARCATA, CA, 95521

Cert. #31060 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 825-6565	2016-10-12 13:33:28	None M	

Comments: May be interested in submitting a quote, however no one picked up and the call did not connect to a voicemail.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 825-6565	2016-10-18 16:40:07	Estimator Y	

Comments: Yes, they intend to submit a quote. They will send it over before the bid due date.

HAMANAKA PAINTING CO.

1805 2ND STREET, SUITE A • EUREKA, CA, 95501

Cert. #20535 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 444-3340	2016-10-12 13:35:53	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 444-3340	2016-10-18 16:41:19	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

K & K CONSTRUCTION SUPPLY, INC

11280 SUNRISE PARK DR., STE B • RANCHO CORDOVA, CA, 95742

Cert. #40197 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(916) 851-0965	2016-10-12 13:43:00	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(916) 851-0965	2016-10-18 16:43:21	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

KA'PEL CONSTRUCTION INC.

691 PONY EXPRESS WAY, LOT 31 • BURNT RANCH, CA, 95527

Cert. #37235 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 629-3300	2016-10-12 13:47:49	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 629-3300	2016-10-18 16:45:05	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

KIONA LANDSCAPING

3889 F STREET, APT 2 • EUREKA, CA, 95503

Cert. #40497 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 616-4340	2016-10-12 13:54:47	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 616-4340	2016-10-18 16:46:06	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

KUSTUM STEEL FABRICATORS, INC.

4318 DUDLEY BLVD., BLDG. 475-H • MCCLELLAN, CA, 95652

Cert. #1126 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(916) 568-5322	2016-10-12 14:13:26	John Y	

Comments: Yes, they intend to submit a quote. They will send it over before the bid due date.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(916) 568-5322	2016-10-18 16:47:26	John Y	

Comments: Yes, they intend to submit a quote. They will send it over before the bid due date.

MAS METALS

600 MONTAGUE AVENUE • SAN LEANDRO, CA, 94577

Cert. #43370 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(510) 259-1426	2016-10-12 15:46:57	Raymond N	

Comments: No, not submitting a quote for this project.

2nd Call Solicitation

Said not bidding during first call, so second call not made.

MC CULLOUGH CONSTRUCTION INC

57 ALDER GROVE ROAD • ARCATA, CA, 95521

Cert. #27969 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 825-1014	2016-10-12 14:20:14	Jenelle N	

Comments: No, not submitting a quote for this project.

2nd Call Solicitation

Said not bidding during first call, so second call not made.

MRB CALIFORNIA ENTERPRISES, INC.

PO BOX 110452 • CAMPBELL, CA, 95011

Cert. #34229 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(408) 401-7002	2016-10-12 14:22:09	Lucille Bennett	Y

Comments: Yes, they intend to submit a quote. They will send it over before the bid due date.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(408) 401-7002	2016-10-18 16:48:51	Estimator	Y

Comments: Yes, they intend to submit a quote. They will send it over before the bid due date.

NITTA EROSION CONTROL

3778 DEL MAR AVENUE • LOOMIS, CA, 95650

Cert. #217 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(916) 652-7459	2016-10-12 14:24:30	Laura	M

Comments: They are still deciding whether they are interested in this project.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(916) 652-7459	2016-10-18 14:42:16	Valerie	M

Comments: They are still deciding whether they are interested in this project.

NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE • REDDING, CA, 96001

Cert. #34396 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 246-2366	2016-10-12 14:28:12	Cathy	N

Comments: No, not submitting a quote for this project.

2nd Call Solicitation

Said not bidding during first call, so second call not made.

S.T. RHOADES CONSTRUCTION, INC.

8585 COMMERCIAL WAY • REDDING, CA, 96002

Cert. #37693 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 223-9322	2016-10-12 14:35:28	Mila Y	

Comments: Yes, they intend to submit a quote. They will send it over before the bid due date.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 223-9322	2016-10-18 16:50:50	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

SITE WORK SOLUTIONS

2665 BECHELLI LANE • REDDING, CA, 96002

Cert. #38758 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 222-2229	2016-10-12 15:47:47	Carrie N	

Comments: No, not submitting a quote for this project.

2nd Call Solicitation

Said not bidding during first call, so second call not made.

SPECIALTY TRAFFIC SYSTEMS

2431 BROADWAY • EUREKA, CA, 95501

Cert. #23745 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 441-8420	2016-10-12 14:38:55	Linda M	

Comments: May be interested in submitting a quote, but they would like to be contacted by _____ to learn more about the project.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(707) 441-8420	2016-10-18 16:52:29	No answer M	

Comments: May be interested in submitting a quote, however no one picked up and the call did not connect to a voicemail.

STONY CREEK GENERAL ENGINEERING

5321 COUNTY RD 206 • ORLAND, CA, 95963

Cert. #39899 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 526-3191	2016-10-12 15:49:15	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 526-3191	2016-10-18 17:01:47	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

TRINITY VALLEY CONSULTING ENGINEERS, INC

67 WALNUT WAY • WILLOW CREEK, CA, 95573

Cert. #40665 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 629-3000	2016-10-12 14:46:38	Arlene N	

Comments: No, not submitting a quote for this project.

2nd Call Solicitation

Said not bidding during first call, so second call not made.

TYRRELL RESOURCES, INC.

275 HILLTOP DRIVE • REDDING, CA, 96003

Cert. #38525 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 243-8733	2016-10-12 14:48:40	Cheryl M	

Comments: They are still deciding whether they are interested in this project.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(530) 243-8733	2016-10-18 17:03:10	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

VERIDICO GROUP, INC

1305 MEADOW VISTA WAY, SUITE A • ROSEVILLE, CA, 95661

Cert. #39572 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

1st Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(916) 865-4170	2016-10-12 14:52:05	Voicemail M	

Comments: May be interested in submitting a quote. Left a voicemail with all the project details.

2nd Call Solicitation

Phone Number	Call Date & Time	Spoke To	Interested? (Yes/No/Maybe)
(916) 865-4170	2016-10-18 17:03:59	Unable to connect M	

Comments: May be interested in submitting a quote, however the call would not connect.

02-463804

SOLICITATION LOG

Fax | Email Log

This document contains the solicitations logs for this outreach effort.

6 RIVERS CONSTRUCTION, INC.

200 REDWOOD GROVE RD • HOOPA, CA, 95546

Cert. #41039 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
6riversconstruction@gmail.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(530) 625-5423	2016-10-12 11:04:01	Successful

ALLEN GILL CONSTRUCTION, INC.

10101 OAK RUN ROAD • OAK RUN, CA, 96069

Cert. #15324 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
tgill@allengillconstruction.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(530) 547-3197	2016-10-12 11:03:04	Successful

BAY LINE CUTTING & CORING, INC.

1635 FOURTH STREET • BERKELEY, CA, 94710

Cert. #21117 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
office@baylinecutting.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(415) 508-1811	2016-10-12 11:02:47	Successful

COLEMAN ENVIRONMENTAL ENGINEERING INC

85 EAST HIGHWAY 20 • UPPERLAKE, CA, 95485

Cert. #42591 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Cert. #31060 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
randy@grsinc.biz	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(707) 825-6563	2016-10-12 11:08:07	Successful

HAMANAKA PAINTING CO.

1805 2ND STREET, SUITE A • EUREKA, CA, 95501

Cert. #20535 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
glenn@hamanakapainting.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(707) 444-3346	2016-10-12 11:02:34	Successful

K & K CONSTRUCTION SUPPLY, INC

11280 SUNRISE PARK DR., STE B • RANCHO CORDOVA, CA, 95742

Cert. #40197 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
tracyloveland@aol.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(916) 851-0999	2016-10-12 11:03:40	Successful

KA`PEL CONSTRUCTION INC.

691 PONY EXPRESS WAY, LOT 31 • BURNT RANCH, CA, 95527

Cert. #37235 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
lrobbins@kapelconstruction.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(530) 629-3300	2016-10-12 11:04:06	Successful

KIONA LANDSCAPING

MRB CALIFORNIA ENTERPRISES, INC.

PO BOX 110452 • CAMPBELL, CA, 95011

Cert. #34229 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
mrbcalfornia@yahoo.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
No Fax Number	n/a	n/a

NITTA EROSION CONTROL

3778 DEL MAR AVENUE • LOOMIS, CA, 95650

Cert. #217 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
nittaec@gmail.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(916) 652-4376	2016-10-12 11:03:38	Failed

NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE • REDDING, CA, 96001

Cert. #34396 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
nie01@sbcglobal.net	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(530) 246-2368	2016-10-12 11:02:57	Successful

S.T. RHOADES CONSTRUCTION, INC.

8585 COMMERCIAL WAY • REDDING, CA, 96002

Cert. #37693 (Minority-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
steve@strhoadesinc.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Transmission Status
(530) 223-9222	2016-10-12 11:03:08	Successful

TYRRELL RESOURCES, INC.

275 HILLTOP DRIVE • REDDING, CA, 96003

Cert. #38525 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
tyrrellresources@sbcglobal.net	2016-10-12 09:57:58	Bounced

Fax Transmission

Fax Number	Send Date & Time	Tranmission Status
(530) 241-8975	2016-10-12 11:02:57	Successful

VERIDICO GROUP, INC

1305 MEADOW VISTA WAY, SUITE A • ROSEVILLE, CA, 95661

Cert. #39572 (Women-owned) was identified in the California Unified Certification Program database on 10/12/2016.

Email Transmission

Email Address	Send Date & Time	Delivery Status
vida.wright@veridicogroup.com	2016-10-12 09:57:58	Delivered

Fax Transmission

Fax Number	Send Date & Time	Tranmission Status
(916) 865-4174	2016-10-12 12:09:02	Failed

FAX & EMAIL PROOFS

This document contains a copy of the email notice sent and a copy of each fax notice sent to solicited companies.

EMAIL PROOF

Mercer-Fraser Company is seeking qualified DBE and invites you to bid on the following contract.

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage
BID #: 02-4G3804
BID DUE DATE: 2016-10-20 at 2:00
AWARDING AGENCY/OWNER: Caltrans
PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE - RECESSED)

Plans & specs available on Caltrans website.

If interested please contact:

Leota Day
200 Dinsmore Dr.

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: 6 RIVERS CONSTRUCTION, INC.
 Tel: (530) 515-7563
 Fax: (530) 625-5423

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: ALLEN GILL CONSTRUCTION, INC.
 Tel: (530) 547-4334
 Fax: (530) 547-3197

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: BAY LINE CUTTING & CORING, INC.
 Tel: (415) 508-1800
 Fax: (415) 508-1811

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: COLEMAN ENVIRONMENTAL
 ENGINEERING INC
 Tel: (707) 275-9016
 Fax: (707) 275-9025

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: FRANK MEDINA GENERAL ENGINEERING
 CONTRACTOR
 Tel: (530) 743-0744
 Fax: (530) 743-9352

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: FRANK ZABEL TRUCKING, INC.
 Tel: (707) 443-4277
 Fax: (707) 443-4267

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: GENERAL SUPPLY COMPANY
 Tel: (510) 632-5229
 Fax: (510) 632-2315

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: GR SUNDBERG, INC.
 Tel: (707) 825-6565
 Fax: (707) 825-6563

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: HAMANAKA PAINTING CO.
 Tel: (707) 444-3340
 Fax: (707) 444-3346

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: K & K CONSTRUCTION SUPPLY, INC
 Tel: (916) 851-0965
 Fax: (916) 851-0999

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: KA'PEL CONSTRUCTION INC.
 Tel: (530) 629-3300
 Fax: (530) 629-3300

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: KIONA LANDSCAPING
 Tel: (707) 616-4340
 Fax: () -

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: KUSTUM STEEL FABRICATORS, INC.
 Tel: (916) 568-5322
 Fax: (916) 568-5323

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: MAS METALS
 Tel: (510) 259-1426
 Fax: (510) 259-1476

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) "24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: MC CULLOUGH CONSTRUCTION INC
 Tel: (707) 825-1014
 Fax: (707) 825-1769

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: MRB CALIFORNIA ENTERPRISES, INC.
 Tel: (408) 401-7002
 Fax: () -

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: NITTA EROSION CONTROL
 Tel: (916) 652-7459
 Fax: (916) 652-4376

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: NORTHERN INDUSTRIAL ELECTRIC
 Tel: (530) 246-2366
 Fax: (530) 246-2368

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: S.T. RHOADES CONSTRUCTION, INC.
 Tel: (530) 223-9322
 Fax: (530) 223-9222

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: SITE WORK SOLUTIONS
 Tel: (530) 222-2229
 Fax: (530) 222-3337

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
200 Dinsmore Dr.
Fortuna, CA, 95540
Tel: (707) 443-6371
Fax: (707) 443-0277
lday@mercerfraser.com
CONTACT NAME: Leota Day

TO: SPECIALTY TRAFFIC SYSTEMS
Tel: (707) 441-8420
Fax: (707) 445-1856

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: STONY CREEK GENERAL ENGINEERING
 Tel: (530) 526-3191
 Fax: (530) 988-5092

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: TRINITY VALLEY CONSULTING
 ENGINEERS, INC
 Tel: (530) 629-3000
 Fax: (530) 629-3011

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: TYRRELL RESOURCES, INC.
 Tel: (530) 243-8733
 Fax: (530) 241-8975

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
 200 Dinsmore Dr.
 Fortuna, CA, 95540
 Tel: (707) 443-6371
 Fax: (707) 443-0277
 lday@mercerfraser.com
 CONTACT NAME: Leota Day

TO: VERIDICO GROUP, INC
 Tel: (916) 865-4170
 Fax: (916) 865-4174

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 2016-10-20 at 2:00

BID No.: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION

INVITATION TO BID

FROM: Mercer-Fraser Company
200 Dinsmore Dr.
Fortuna, CA, 95540
Tel: (707) 443-6371
Fax: (707) 443-0277
lday@mercerfraser.com
CONTACT NAME: Leota Day

TO: K & K CONSTRUCTION SUPPLY, INC
Tel: (916) 851-0965
Fax: (916) 851-0999

Mercer-Fraser Company is Seeking Qualified DBE

BID DUE DATE: 10/20/2016 at 2:00

BID/PROJECT #: 02-4G3804

PROJECT NAME: Place Rubberized Hot Mix AC, Guardrail & Drainage

AGENCY NAME: Caltrans

PROJECT LOCATION: Salyer, Trinity, CA

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE A BANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (E A) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONS TRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST IN LET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THREE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THREE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

RETURN SECTION
Visit www.dbegoodfaith.com/respond to reply with the Solicitation ID below. 493448-36578
-- OR --
Fax back this invitation with your response to: (707) 443-0277
<input type="checkbox"/> Yes, we will send a fax quote by the bid date.
<input checked="" type="checkbox"/> No, we are not interested.
<input type="checkbox"/> Interested, but we would like more information. Please contact us at

This solicitation was sent by DBE GoodFaith Inc. at 10/12/2016 10:00:03 am PST on behalf of Mercer-Fraser Company

For additional information about DBE, MWBE, DVBE, SBE and other diversity participation projects, visit www.dbegoodfaith.com or twitter.com/dbegoodfaith

4. Describe the Bidder's outreach efforts to identify and solicit the interest of all certified DBEs that have the capability to perform the work of the Contract. Provide copies of supporting documents.

Description of Outreach	Dates	Location (if applicable)	Results
Ran DBE Advertisement	9/26/16-10/20/16	Caltrans Website	Ad ran for 3 weeks
Ran DBE Advertisement	9/26/16-10/20/16	Humboldt Builders Exchange	Ad ran for 3 weeks
Ran DBE Advertisement	9/26-16-10/20/16	Weekly Bid Flash	Ad ran for 3 weeks
Ran DBE Advertisement	9/26/16-10/20/16	Compliance News	Ad ran for 3 weeks
Ran DBE Advertisement	9/21/16-10/20/16	Shasta Builders Exchange	Ad ran for 4 weeks

5. Describe the Bidder's efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the Contract to assist them in responding to a solicitation. Identify the DBEs assisted, the type of information provided, and the date of the contracts. Provide copies of supporting documents.

Mercer-Fraser Company makes project plans and specifications available for review and copying at our Fortuna office or by email. The engineering staff is available to answer questions or offer technical assistance in person or over the phone to all interested parties. No assistance was needed.

6. Describe the Bidder's efforts made to assist interested DBEs in obtaining bonding, lines of credit, or insurance. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents.

Mercer-Fraser Company offers assistance in obtaining bonding, lines of credit, insurance and other services to interested subcontractors. No assistance was needed.

7. Describe the Bidder's efforts made to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE purchases or leases from the prime contractor or its affiliate. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.

Mercer-Fraser Company offers assistance in obtaining the necessary equipment, supplies and materials to all interested subcontractors. No assistance was needed.

8. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting, and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.

Mercer-Fraser Company uses the California Department of Transportation DBE search website to locate DBE firms. Advertisements are placed in various trade publications inviting DBE firms to participate in bidding.

9. Include additional data to support a demonstration of good faith efforts.

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

ATTACHMENT C

DBE CONFIRMATIONS

CONTRACT # 02-4G3804

From: The Weekly Bid Flash <support@theweeklybidflash.com>
Sent: Monday, September 26, 2016 1:43 PM
To: Leota Day
Subject: Copy of your DBE Ad - Place Rubberized Hot Mix AC, Guardrail & Drainage

Date Of Advertisement Placement: 9/26/2016 1:42:43 PM

Mercer-Fraser Company
 An Equal Opportunity Employer,
 is requesting quotations from all qualified
DBE,DVBE
 sub-contractors and material suppliers for the following project:

Place Rubberized Hot Mix AC, Guardrail & Drainage

City/Location: **Salyer**
 Counties: **San Luis Obispo, San Luis Obispo, Humboldt**

Owner: **Caltrans**

Bid Date: Thursday 10/20/2016 at 2:00 PM

We are requesting bids for the following trades and/or supplies:
 Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for
 the following items of work:

- LEAD COMPLIANCE PLAN
- CONSTRUCTION AREA SIGNS
- TRAFFIC CONTROL SYSTEM
- PORTABLE CHANGEABLE MESSAGE SIGN (LS)
- JOB SITE MANAGEMENT
- PREPARE WATER POLLUTION CONTROL PROGRAM
- TEMPORARY DRAINAGE INLET PROTECTION
- TEMPORARY FIBER ROLL
- MODIFIED TEMPORARY SILT FENCE (ESA)
- STREET SWEEPING
- TEMPORARY CONCRETE WASHOUT
- TEMPORARY FENCE (TYPE ESA)
- TREATED WOOD WASTE
- ABANDON CULVERT (EA)
- REMOVE MARKER
- REMOVE GUARDRAIL
- REMOVE THERMOPLASTIC TRAFFIC STRIPE
- REMOVE THERMOPLASTIC PAVEMENT MARKING
- REMOVE ASPHALT CONCRETE DIKE
- REMOVE CULVERT (LF)
- REMOVE DOWNDRAIN (EA)
- REMOVE INLET
- REMOVE HEADWALL

REMOVE ASPHALT CONCRETE OVERSIDE DRAIN
 REMOVE DELINEATOR
 RECONSTRUCT GUARDRAIL (STEEL POST)
 RECONSTRUCT TERMINAL SYSTEM (TYPE SRT)
 RESET ROADSIDE SIGN
 ADJUST INLET
 ADJUST GUARDRAIL
 COLD PLANE ASPHALT CONCRETE PAVEMENT
 CLEARING AND GRUBBING (LS)
 DEVELOP WATER SUPPLY
 ROADWAY EXCAVATION
 SHOULDER BACKING
 WOOD MULCH
 CLASS 2 AGGREGATE BASE (CY)
 HOT MIX ASPHALT (TYPE A)
 RUBBERIZED HOT MIX ASPHALT (GAP GRADED)
 RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE)
 DATA CORE
 PLACE HOT MIX ASPHALT DIKE (TYPE A)
 PLACE HOT MIX ASPHALT DIKE (TYPE C)
 PLACE HOT MIX ASPHALT DIKE (TYPE E)
 PLACE HOT MIX ASPHALT DIKE (TYPE F)
 PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
 TACK COAT
 RAIL ELEMENT WALL (STEEL POST)
 MINOR CONCRETE (MINOR STRUCTURE)
 18" REINFORCED CONCRETE PIPE
 24" CORRUGATED STEEL PIPE (.109" THICK)
 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK)
 24" ANCHOR ASSEMBLY
 "24"" TO 18"" CORRUGATED STEEL ECCENTRIC
 REDUCER (.079"" THICK)"
 24" STEEL FLARED END SECTION
 ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY)
 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
 MISCELLANEOUS IRON AND STEEL
 DELINEATOR (CLASS 2)
 MILEPOST MARKER
 MARKER (CULVERT)
 OBJECT MARKER (TYPE L-1)
 METAL BEAM GUARD RAILING (STEEL POST)
 VEGETATION CONTROL (MINOR CONCRETE)
 SINGLE THRIE BEAM BARRIER (STEEL POST)
 MODIFIED DOUBLE THRIE BEAM BARRIER
 TRANSITION RAILING (TYPE WB)
 TRANSITION RAILING (TYPE STB)
 MODIFIED TRANSITION RAILING (TYPE WB)
 MODIFIED BURIED END ANCHOR ASSEMBLY
 ALTERNATIVE IN-LINE TERMINAL SYSTEM
 4" THERMOPLASTIC TRAFFIC STRIPE
 8" THERMOPLASTIC TRAFFIC STRIPE

THERMOPLASTIC PAVEMENT MARKING
"4"" THERMOPLASTIC TRAFFIC STRIPE (BROKEN
12-3)"
"4"" THERMOPLASTIC TRAFFIC STRIPE (BROKEN
36-12)"
PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Bid documents can be viewed at or obtained from:
Caltrans Website

Mercer-Fraser Company is a union signatory contractor. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. 100% Performance and Payment Bonds may be required. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing. All Subcontractors will be required to sign our standard Subcontract Agreement. Plans and specifications are available for viewing at our office or you may call Mercer-Fraser Company for further assistance. Please call if assistance is needed in obtaining bonding, insurance, equipment, materials and supplies. Mercer-Fraser Company intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will consider all bids that may be submitted.

Mercer-Fraser Company
P.O. Box 1006
Eureka, CA 95502
Phone: (707) 443-6371 **Fax:** (707) 443-0277
Leota Day
lday@mercerfraser.com


Published on 9/26/2016 2:00:00 PM
by The Weekly Bid Flash
a Trade and Focus Publication
located at www.theweeklybidflash.com
Phone: 1.800.479.5314 Fax: 1.619.688.0585

This solicitation Ad will run until the bid date

Humboldt

Builders' Exchange, Inc.

September 26, 2016 • humbx.com • hbe-info@humbx.com • facebook.com/humbx • Bulletin No. 16-39



Carbonneau Ceramic Tile, Inc.
Carbonneau Custom Designs

WEEKLY BULLETIN

1213 5th Street | Eureka, CA 95501 | Phone: 707-442-3708 | Fax: 707-442-6051

Minority Sub-Bids Requested

Mercer-Fraser Company

Is requesting quotations from all qualified DBE sub-contractors & material suppliers for the following Project:

Ramp Widening, Install Ramp Metering & Fiber Optic Cable
Contract #10-1C4214

BID DATE: 10/18/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/26/2016
An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified DBE sub-contractors & material suppliers for the following Project:

CIDH Plies, RSP Replacement and HMA
Contract #01-0B4404

BID DATE: 10/19/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/26/2016
An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified DBE sub-contractors & material suppliers for the following Project:

Cold In-Place Recycling, Cold Plane AC Pavement & RHMA-G
Contract# 05-1G1504

BID DATE: 10/19/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/26/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified DBE sub-contractors & material suppliers for the following Project:

Construct Soil Nail Wall & RSP
Contract# 07-305204

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/26/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified DBE sub-contractors & material suppliers for the following Project:

Placer Rubberized Hot Mix AC, Guardrail & Drainage
Contract# 02-4G3804

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/26/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified DBE sub-contractors & material suppliers for the following Project:


Resurface Pavement with RHMA-G & Install MGS
Contract# 05-1C8704

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/26/2016

An Equal Opportunity Employer

Humboldt Builders' Exchange, Inc.

October 03, 2016 • humbx.com • hbe-info@humbx.com • facebook.com/humbx • Bulletin No.16-40



WEEKLY BULLETIN

1213 5th Street | Eureka, CA 95501 | Phone: 707-442-3708 | Fax: 707-442-6051

Minority Sub-Bids Requested

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Construct Soil Nail Wall & RSP Contract #07-305204

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Place Rubberized Hot Mix AC, Guardrail & Drainage Contract #02-4G3804

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Resurface Pavement with RHMA-G and Install MGS Contract #05-1C8704

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Hot Mix AC, Roadway Excavation, Signal & Lighting Contract #03-3C804

BID DATE: 10/26/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 9/27/2016

An Equal Opportunity Employer

Granite Construction Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Highway 20 Curb Enhancements Near Lucerne Contract #01-0B1204

BID DATE: 10/13/2016 **BID TIME:** 2:00 pm
Granite Construction Co. Phone: (707) 467-4100
1324 S. State Street FAX: (707) 467-4143
Ukiah, CA 95482 Date of Ad: 10/03/2016

An Equal Opportunity Employer



Humboldt Builders' Exchange, Inc.

October 10, 2016 • humbx.com • hbe-info@humbx.com • facebook.com/humbx • Bulletin No. 16-41



HAMANAKA PAINTING CO., INC.

WEEKLY BULLETIN

1213 5th Street | Eureka, CA 95501 | Phone: 707-442-3708 | Fax: 707-442-6051

Minority Sub-Bids Requested

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Cold In-Place Recycling, Cold Plane AC Pavement and RHMA-G Contract # 05-1G1504

BID DATE: 10/19/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Regrade Median Cross Slope Contract # 08-OR1204

BID DATE: 10/19/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Resurface Pavement with RHMA-G And Install Midwest Guardrail System Contract # 05-1C8404

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Construct Soil Nail Wall & RSP Contract # 07-305204

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Place Rubberized Hot Mix AC, Guardrail & Drainage Contract # 02-4G3804

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Resurface Pavement with RHMA-G And Install MGS Contract # 05-1C8704

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Humboldt



Builders' Exchange, Inc.

October 17, 2016 • humbx.com • hbe-info@humbx.com • facebook.com/humbx • Bulletin No. 16-42



WEEKLY BULLETIN

1213 5th Street | Eureka, CA 95501 | Phone: 707-442-3708 | Fax: 707-442-6051

Minority Sub-Bids Requested

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

**Resurface Pavement with RHMA-G
And Install Midwest Guardrail System**
Contract # 05-1C8404

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Construct Soil Nail Wall & RSP
Contract # 07-305204

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

**Place Rubberized Hot Mix AC,
Guardrail & Drainage**
Contract # 02-4G3804

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

**Resurface Pavement with RHMA-G
And Install MGS**
Contract # 05-1C8704

BID DATE: 10/20/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

**Hot Mix AC, Roadway Excavation,
Signal & Lighting**
Contract # 03-3C804

BID DATE: 10/26/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company

Is requesting quotations from all qualified **DBE** sub-contractors & material suppliers for the following Project:

Highway Improvements: Overlay/ Signs/ ADA
Contract # 01-415004

BID DATE: 10/27/2016 **BID TIME:** 2:00 pm
Mercer-Fraser Company Phone: (707) 443-6371
PO Box 1006 FAX: (707) 443-0277
Eureka, CA 95547 Date of Ad: 09/27/2016

An Equal Opportunity Employer

Mercer-Fraser Company
is seeking certified and qualified DBE subs and/or
suppliers to provide
following items of work:
LEAD COMPLIANCE PLAN;
CONSTRUCTION AREA SIGNS;
TRAFFIC CONTROL SYSTEM;
PORTABLE CHANGEABLE MESSAGE SIGN
(LS);
JOB SITE MANAGEMENT;
PREPARE WATER POLLUTION CONTROL
PROGRAM;
TEMPORARY DRAINAGE INLET
PROTECTION;
TEMPORARY FIBER ROLL;
MODIFIED TEMPORARY SILT FENCE (ESA);
STREET SWEEPING;
TEMPORARY CONCRETE WASHOUT;
TEMPORARY FENCE (TYPE ESA);
TREATED WOOD WASTE;
ABANDON CULVERT (EA);
REMOVE MARKER;
REMOVE GUARDRAIL;
REMOVE THERMOPLASTIC TRAFFIC
STRIPE;
REMOVE THERMOPLASTIC PAVEMENT
MARKING;
REMOVE ASPHALT CONCRETE DIKE;
REMOVE CULVERT (LF);
REMOVE DOWNDRAIN (EA);
REMOVE INLET;
REMOVE HEADWALL;
REMOVE ASPHALT CONCRETE OVERSIDE
DRAIN;
REMOVE DELINEATOR;
RECONSTRUCT GUARDRAIL (STEEL POST);
RECONSTRUCT TERMINAL SYSTEM (TYPE
SRT);
RESET ROADSIDE SIGN;
ADJUST INLET;
ADJUST GUARDRAIL;
COLD PLANE ASPHALT CONCRETE
PAVEMENT;
CLEARING AND GRUBBING (LS);
DEVELOP WATER SUPPLY;
ROADWAY EXCAVATION;
SHOULDER BACKING;
WOOD MULCH;
CLASS 2 AGGREGATE BASE (CY);
HOT MIX ASPHALT (TYPE A);
RUBBERIZED HOT MIX ASPHALT (GAP
GRADED);
RUBBERIZED HOT MIX ASPHALT-OPEN
GRADED (OPEN GRADED FRICTION
COURSE);
DATA CORE;
PLACE HOT MIX ASPHALT DIKE (TYPE A);
PLACE HOT MIX ASPHALT DIKE (TYPE C);
PLACE HOT MIX ASPHALT DIKE (TYPE E);
PLACE HOT MIX ASPHALT DIKE (TYPE F);
PLACE HOT MIX ASPHALT
(MISCELLANEOUS AREA);
TACK COAT;

Contact: Justin Zabel, Mark Benzinger
P.O. Box 1006
Eureka, CA, 95502-1006
Phone: (707) 443-6371
Fax: (707) 443-0277
Email: lday@mercerfraser.com

Bid Due on: 10/20/2016 at 02:00 PM
Solicitation Number: 02-4G3804

RAIL ELEMENT WALL (STEEL POST);

MINOR CONCRETE (MINOR STRUCTURE);
18" REINFORCED CONCRETE PIPE;
24" CORRUGATED STEEL PIPE (.109"
THICK);
24" CORRUGATED STEEL PIPE DOWNDRAIN
(.109" THICK);
24" ANCHOR ASSEMBLY;
"24"" TO 18"" CORRUGATED STEEL
ECCENTRIC;
REDUCER (.079"" THICK)";
24" STEEL FLARED END SECTION;
ROCK SLOPE PROTECTION (LIGHT, METHOD
B) (CY);
ROCK SLOPE PROTECTION FABRIC (CLASS
8);
MISCELLANEOUS IRON AND STEEL;
DELINEATOR (CLASS 2);
MILEPOST MARKER;
MARKER (CULVERT);
OBJECT MARKER (TYPE L-1);
METAL BEAM GUARD RAILING (STEEL
POST);
VEGETATION CONTROL (MINOR
CONCRETE);
SINGLE THRIE BEAM BARRIER (STEEL
POST);
MODIFIED DOUBLE THRIE BEAM BARRIER;
TRANSITION RAILING (TYPE WB);
TRANSITION RAILING (TYPE STB);
MODIFIED TRANSITION RAILING (TYPE
WB);
MODIFIED BURIED END ANCHOR
ASSEMBLY;
ALTERNATIVE IN-LINE TERMINAL
SYSTEM;
4" THERMOPLASTIC TRAFFIC STRIPE;
8" THERMOPLASTIC TRAFFIC STRIPE;
THERMOPLASTIC PAVEMENT MARKING;
"4"" THERMOPLASTIC TRAFFIC STRIPE
(BROKEN 12-3)";
"4"" THERMOPLASTIC TRAFFIC STRIPE
(BROKEN 36-12)";
PAVEMENT MARKER (RETROREFLECTIVE-
RECESSED)
for Caltrans - Place Rubberized Hot Mix AC,
Guardrail & Drainage - Contract #: 02-4G3804 in
Salyer,CA

Mercer Fraser Company will work with interested subcontractors to identify opportunities to break down items into economically feasible packages.

Please fax or email your response and scope to (707) 443-0277 or lday@mercerfraser.com.

Mercer-Fraser Company is a union signatory contractor. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. 100% Performance and Payment Bonds may be required. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing. All Subcontractors will be required to sign our standard Subcontract

Agreement. Plans and specifications are available for viewing at our office or you may call Mercer-Fraser Company for further assistance. Please call if assistance is needed in obtaining bonding, insurance, equipment, materials and supplies. Mercer-Fraser Company intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will consider all bids that may be submitted.

The Mercer-Fraser Company Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.

Located Online at: http://www.compliancencenews.com/classified_monthly

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Mon Sep 26 21:53:20 +0000 2016

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

Home → Construction Contract Awards → **Advertised Projects This Week**

Listing for all primes seeking assistance with project 02-4G3804. 2 results found.

Contractor: Tullis, Inc. **Contact:** Chris Brimhall

Address: 16951 Clear Creek Road Redding, Ca. 96001

Phone: (530) 241-5105 **Fax:** (530) 241-5570 **Email:** cbrimhall@tullisinc.com

Services needed: Tullis, Inc. is accepting bid from qualified Disadvantaged Business Enterprises (DBE?s) the following work; Lead Compliance Plan, Construction Area Signs, Portable Changeable Message Sign, Prepare Water Pollution Control Plan, Concrete Pumping, Drainage Work, Drainage Material, Metal Beam Guardrail, Remove Thermoplastic Striping, Remove Asphalt Concrete Dike, Remove Markers & Delineators, Reset Roadside Sign, Cold Plane AC Pavement, Clearing & Grubbing, Shoulder Backing Material, Wood Mulch, Class 2 Aggregate Base Material, HMA Material, RHMA (Type G) Material, RHMA (Open Graded) Material, Data Cores, HMA Dike, HMA (Misc. Area), Tack Coat Material, Rail Element Wall, Concrete Barrier (Transition Anchor Blocks), Precast or CIP Inlets, Rock Slope Protection, Miscellaneous Iron & Steel, Delineators & Markers, Vegetation Control (Minor Concrete), Striping, Pavement Markers, Sweeping, Pilot Car , Trucking, Water Trucks, Operated Grinder Rental, Not Limited to the above Listed Items.

Requirements: The plans and specifications, for the referenced project, can be reviewed at our office or downloaded in electronic format at

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/index.php. Tullis, Inc. is signatory to the Operating Engineers and Laborers Unions. Subcontractors must possess a current contractor?s license, insurance coverage and worker?s compensation for the entire length of the contract. At Tullis, Inc.?s discretion, 100% payment and performance bonds may be required. If you require assistance in obtaining bonding, lines of credit, insurance, equipment, supplies, materials, or have any questions related to the referenced project, please contact our office at (530) 241-5105. Tullis, Inc. is an Equal Opportunity Employer and will consider any and all bids that may be submitted. Tullis, Inc. is willing to breakout any portion of work to encourage DVBE and SBE participation. If you should have any interest in this project or require any assistance, please contact Tullis, Inc. and we can discuss the project in length and how you may be able to participate. When submitting any bid on a public works project, please include your California Contractors License Number and Department of Industrial Relations Number. More information regarding California Contractors License and DIR Numbers can be found at <http://www.cslb.ca.gov/> and <http://www.dir.ca.gov/Public-Works/PublicWorks.html> .

Date posted: 09/15/2016

Contractor: Mercer-Fraser Company **Contact:** Leota Day

Address: PO Box 1006 Eureka, CA 95502

Phone: (707) 443-6371 **Fax:** (707) 443-0277 **Email:** lday@mercerfraser.com

Services needed: Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-

OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE (TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24" ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY) ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR CONCRETE) SINGLE THRIE BEAM BARRIER (STEEL POST) MODIFIED DOUBLE THRIE BEAM BARRIER TRANSITION RAILING (TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4" THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC STRIPE THERMOPLASTIC PAVEMENT MARKING "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3) "4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12) PAVEMENT MARKER (RETROREFLECTIVE- RECESSED)

Requirements: Mercer-Fraser Company will work with interested subcontractors to identify opportunities to break down items into economically feasible packages. Mercer-Fraser Company is a union signatory contractor. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. 100% Performance and Payment Bonds may be required. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing. All Subcontractors will be required to sign our standard Subcontract Agreement. Plans and specifications are available for viewing at our office or you may call Mercer-Fraser Company for further assistance. Please call if assistance is needed in obtaining bonding, insurance, equipment, materials and supplies. Mercer-Fraser Company intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will consider all bids that may be submitted.

Date posted: 09/26/2016

TRADE JOURNAL AD

The advertisement below was published in the DBE GoodFaith's Minority, Women, Small, & Disabled Veteran Business Trade Journal, Outreach Impact, at www.trade.dbegoodfaith.com on 10/11/2016 04:17 PM. The ad ran from the publication date until the bid date listed on the notice.

Outreach Coordinator

Leota Day

Contact Information

200 Dinsmore Dr.
Fortuna, CA 95540
Tel: (707) 443-6371 ext.
Fax: (707) 443-0277
Email: lday@mercerfraser.com

Mercer-Fraser Company

is seeking qualified DBE

Project Name

Place Rubberized Hot Mix AC, Guardrail & Drainage

Bid/Contract

02-4G3804

Awarding Agency

Caltrans

Project Location

Salyer, Trinity County, CA

Bid Date

10/20/2016 at 2:00

Project Details

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE

(TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR
CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE
PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24"
CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24"
ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL
ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END
SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY)
ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS
IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER
MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM
GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR
CONCRETE) SINGLE THREE BEAM BARRIER (STEEL POST)
MODIFIED DOUBLE THREE BEAM BARRIER TRANSITION RAILING
(TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED
TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR
ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4"
THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC
STRIPE THERMOPLASTIC PAVEMENT MARKING "4"
THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4"
THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT
MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

TWITTER POST

The Twitter post below was published at www.twitter.com/dbegoodfaith on 10/11/2016 04:17 PM.

Mercer-Fraser Company is seeking DBE s
in Salyer - [dbegoodfaith.com/ads/Place-
Rubb...](http://dbegoodfaith.com/ads/Place-Rubb...)

04:10 PM - 11 Oct 2016

FOCUS JOURNAL AD

The advertisement below was published in the DBE GoodFaith Minority, Women, Small, & Disabled Veteran Business Focus Journal at www.dbegoodfaith.com on 10/11/2016 04:17 PM. The ad ran from the publication date until the bid date listed on the notice.

Outreach Coordinator

Leota Day

Contact Information

200 Dinsmore Dr.
Fortuna, CA 95540
Tel: (707) 443-6371 ext.
Fax: (707) 443-0277
Email: lday@mercerfraser.com

Mercer-Fraser Company

is seeking qualified DBE

Project Name

Place Rubberized Hot Mix AC, Guardrail & Drainage

Bid/Contract

02-4G3804

Awarding Agency

Caltrans

Project Location

Salyer, Trinity County, CA

Bid Date

10/20/2016 at 2:00

Project Details

Mercer-Fraser is currently requesting quotes from all qualified DBE subcontractors and/or suppliers for the following items of work: LEAD COMPLIANCE PLAN CONSTRUCTION AREA SIGNS TRAFFIC CONTROL SYSTEM PORTABLE CHANGEABLE MESSAGE SIGN (LS) JOB SITE MANAGEMENT PREPARE WATER POLLUTION CONTROL PROGRAM TEMPORARY DRAINAGE INLET PROTECTION TEMPORARY FIBER ROLL MODIFIED TEMPORARY SILT FENCE (ESA) STREET SWEEPING TEMPORARY CONCRETE WASHOUT TEMPORARY FENCE (TYPE ESA) TREATED WOOD WASTE ABANDON CULVERT (EA) REMOVE MARKER REMOVE GUARDRAIL REMOVE THERMOPLASTIC TRAFFIC STRIPE REMOVE THERMOPLASTIC PAVEMENT MARKING REMOVE ASPHALT CONCRETE DIKE REMOVE CULVERT (LF) REMOVE DOWNDRAIN (EA) REMOVE INLET REMOVE HEADWALL REMOVE ASPHALT CONCRETE OVERSIDE DRAIN REMOVE DELINEATOR RECONSTRUCT GUARDRAIL (STEEL POST) RECONSTRUCT TERMINAL SYSTEM (TYPE SRT) RESET ROADSIDE SIGN ADJUST INLET ADJUST GUARDRAIL COLD PLANE ASPHALT CONCRETE PAVEMENT CLEARING AND GRUBBING (LS) DEVELOP WATER SUPPLY ROADWAY EXCAVATION SHOULDER BACKING WOOD MULCH CLASS 2 AGGREGATE BASE (CY) HOT MIX ASPHALT (TYPE A) RUBBERIZED HOT MIX ASPHALT (GAP GRADED) RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE) DATA CORE PLACE HOT MIX ASPHALT DIKE (TYPE A) PLACE HOT MIX ASPHALT DIKE (TYPE C) PLACE HOT MIX ASPHALT DIKE (TYPE E) PLACE HOT MIX ASPHALT DIKE

(TYPE F) PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
TACK COAT RAIL ELEMENT WALL (STEEL POST) MINOR
CONCRETE (MINOR STRUCTURE) 18" REINFORCED CONCRETE
PIPE 24" CORRUGATED STEEL PIPE (.109" THICK) 24"
CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK) 24"
ANCHOR ASSEMBLY "24" TO 18" CORRUGATED STEEL
ECCENTRIC REDUCER (.079" THICK) 24" STEEL FLARED END
SECTION ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY)
ROCK SLOPE PROTECTION FABRIC (CLASS 8) MISCELLANEOUS
IRON AND STEEL DELINEATOR (CLASS 2) MILEPOST MARKER
MARKER (CULVERT) OBJECT MARKER (TYPE L-1) METAL BEAM
GUARD RAILING (STEEL POST) VEGETATION CONTROL (MINOR
CONCRETE) SINGLE THREE BEAM BARRIER (STEEL POST)
MODIFIED DOUBLE THREE BEAM BARRIER TRANSITION RAILING
(TYPE WB) TRANSITION RAILING (TYPE STB) MODIFIED
TRANSITION RAILING (TYPE WB) MODIFIED BURIED END ANCHOR
ASSEMBLY ALTERNATIVE IN-LINE TERMINAL SYSTEM 4"
THERMOPLASTIC TRAFFIC STRIPE 8" THERMOPLASTIC TRAFFIC
STRIPE THERMOPLASTIC PAVEMENT MARKING "4"
THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)" "4"
THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)" PAVEMENT
MARKER (RETROREFLECTIVE- RECESSED)

Plans & specs available on Caltrans website.

**DBE COMMITMENT & GOOD FAITH EFFORT
DOCUMENTATION FOR:**

Contract No. 02-4G3804

Construction of State Highway in Trinity County at and near Salyer from
Humboldt County line to 0.6 mile east of Gray Creek Road

DBE DOCUMENTATION

- Attachment A - DBE Commitment Form
- Attachment B - DBE Quotes Used
- Attachment C - DBE Confirmation Pages

GOOD FAITH EFFORT DOCUMENTATION

MERCER-FRASER COMPANY

CONTRACTORS & ENGINEERS

Since 1870

MSC 43 Office Engineer
CA Department of Transportation
1727 30th Street
Sacramento, CA 95816-7005

RE: Contract No. **02-4G3804**

Mercer-Fraser Company hereby submits the following documents for:

**CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR
SALYER FROM HUMBOLDT COUNTY LINE TO 0.6 MILE EAST OF GRAY
CREEK ROAD**

In District 02 On Route 299

- DBE Commitment/Confirmation/Quotes
- Good Faith Effort Documentation