

**DEPARTMENT OF TRANSPORTATION**  
**DIVISION OF ENGINEERING SERVICES**  
OFFICE ENGINEER, MS 43  
1727 30<sup>TH</sup> STREET  
P.O. BOX 168041  
SACRAMENTO, CA 95816-8041  
FAX (916) 227-6214  
TTY (916) 227-8454



*Flex your power!*  
*Be energy efficient!*

April 29 , 2009

07-LA-60-R25.6  
07-4S5304

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in LOS ANGELES COUNTY IN DIAMOND BAR AT E60-N57 CONNECTOR UNDERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Thursday, May 14, 2009.

This addendum is being issued to revise the Project Plans.

Project Plan Sheet 11 is revised as follows:

1. "Structure Excavation" is revised to read "Remove Unsuitable Material" in the "QUANTITIES" section at the top of the plan sheet.
2. The item "Filter Fabric" with a quantity of 228 SQFT is added to the "QUANTITIES" section at the top of the plan sheet.

Project Plan Sheet 12 is revised as follows:

1. In the "SINKHOLE SOIL REMEDIATION TREATMENT" section in the middle of the plan sheet, the call-out "Limit of Structure Excavation" is revised to read "Limit of Remove Unsuitable Material".
2. In the "SINKHOLE SOIL REMEDIATION TREATMENT" section in the middle of the plan sheet, the call-out "Limit of Structure Backfill compacted to 95% relative compaction. Use Filter Fabric Material at Base of Excavation." is revised to read, "Limit of Structure Backfill compacted to 95% relative compaction. Use Filter Fabric Material at Base of Unsuitable Material Removal".
3. In "SECTION B-B" in the bottom right of the plan sheet, the call out "\*Structure Excavation depth varies from 11'-0" at Abut Face to 3'-0" at End of existing Wingwall" is revised to read "\* Remove unsuitable material depth varies from 11'0" at Abut Face to 3'-0" at End of existing Wingwall".
4. The call-out "Limits of Filter Fabric" is added to "SECTION B-B" in the bottom right of the plan sheet.

Addendum No. 1  
Page 2  
April 29, 2009

07-LA-60-R25.6  
07-4S5304

To Proposal and Contract book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the NOTICE TO CONTRACTORS section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it. A copy of this addendum is available for the contractor's use on the Internet Site:

**[http://www.dot.ca.gov/hq/esc/oe/weekly\\_ads/addendum\\_page.html](http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html)**

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

DOUGLAS R. FAILING  
District Director