

**DEPARTMENT OF TRANSPORTATION**

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30<sup>th</sup> Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.  
Help save water!*

March 24, 2015

07-LA-134-R10.8/R11.5

07-4T7404

Project ID 0714000231

ACNHP-P134(038)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN LOS ANGELES COUNTY IN LOS ANGELES AT ARBOR DELL-HILLMONT UNDERCROSSING AND AT FIGUEROA STREET UNDERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, April 8, 2015.

This addendum is being issued to revise the *Notice to Bidders and Special Provisions*.

In the *Notice to Bidders*, the 7th paragraph is revised as follows:

"The Contractor must have either a Class A license or one of the following Class C licenses: C-8."

"In the Special Provisions, DIVISION I "GENERAL PROVISIONS," Section 5, "CONTROL OF WORK," is added as attached.

In the Special Provisions, Section 12-4.02A, the following paragraph is added after the 7th paragraph.

"Not more than 1 stationary lane closure will be allowed per direction of travel at one time."

In the Special Provisions, Section 12-4.03C is deleted.

Addendum No. 1  
Page 2  
March 24, 2015

07-LA-134-R10.8/R11.5  
07-4T7404  
Project ID 0714000231  
ACNHP-P134(038)E

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

**[http://www.dot.ca.gov/hq/esc/oe/electronic\\_bidding/electronic\\_bidding.html](http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html)**

Inform subcontractors and suppliers as necessary.

This addendum, EBS addendum file and attachment are available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/07/07-4T7404](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-4T7404)**

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



CARRIE BOWEN  
District Director

Attachment

## **5 CONTROL OF WORK**

Utility information is not shown. Utility location activities must be concurrent with construction activities. Make arrangements with the utility owners to coordinate utility location activities. Mechanically actuated excavation must not be performed within 24 inches horizontally of the exterior surface of the subsurface facilities.