



LUMINAIRE MAST ARM DATA			
M PROJECTED LENGTH	N RISE	Min OD AT POLE	NOMINAL THICKNESS
15'-0"	4'-9"±	4 1/2"	0.1196"
20'-0"	2'-6"±	5"	0.1793"

POLE DATA				
POLE EXTENSION TYPE	HEIGHT "H"	Min OD		THICKNESS
		BASE	TOP	
5	5'-0"	6 1/2"	5 1/8"	0.1793"
10	10'-0"	7 1/4"	5 1/8"	0.1793"

Dist	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET No.	TOTAL SHEETS

  
 REGISTERED CIVIL ENGINEER

July 15, 2016  
 PLANS APPROVAL DATE








THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.

TO ACCOMPANY PLANS DATED \_\_\_\_\_

**NOTES:**

- The Contractor shall verify all controlling field dimensions before ordering or fabricating any material.
- Bolt hole locations may vary at the discretion of the Engineer.
- For Wind Loading see RSP ES-7M.
- See Std Plan S13.
- Materials (Structural Steel):
  - fy = 55,000 psi tapered steel tube (pole)
  - fy = 50,000 psi unless otherwise noted



STATE OF CALIFORNIA  
DEPARTMENT OF TRANSPORTATION

**ELECTRICAL SYSTEMS  
(LIGHTING STANDARD,  
TYPES 5 AND 10,  
OVERHEAD SIGN MOUNTED)**

NO SCALE

RSP ES-6C DATED JULY 15, 2016 SUPERSEDES RSP ES-6C  
DATED OCTOBER 30, 2015 AND STANDARD PLAN ES-6C DATED MAY 20, 2011 -  
PAGE 454 OF THE STANDARD PLANS BOOK DATED 2010.

**REVISED STANDARD PLAN RSP ES-6C**

2010 REVISED STANDARD PLAN RSP ES-6C