



DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET TOTAL NO. SHEETS
Randell D. Hiatt REGISTERED CIVIL ENGINEER				
January 20, 2017 PLANS APPROVAL DATE				
No. C50200 Exp. 6-30-17 CIVIL				
THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.				




TO ACCOMPANY PLANS DATED _____

NOTES:


- All holes in steel post shall be $\frac{3}{16}$ " Dia maximum.
- Dimensions shown for wood block are nominal.
- Notched face of block faces steel post.
- 6'-0" length posts to be used for typical roadway installation. See Revised Standard Plan RSP A77N3.
- See Revised Standard Plan RSP A77L3 for use of 6" x 8" and 8" x 8" notched wood blocks.
- This post and 8" x 12" block combination to be used for line post sections of MGS on narrow roadways and where strengthened line post sections of MGS are warranted to shield fixed objects.
- 6" x 12" notched wood block and 8" x 12" notched wood block must be used with 6" dike.




**W6 x 9 OR W6 x 8.5
STEEL POST**
See Note 4




**6" x 12"
NOTCHED WOOD BLOCK**
See Notes 2, 3 and 7




**6" x 8"
NOTCHED WOOD BLOCK**
Only for use with metal beam guard railing. See Note 5




**W6 x 9 OR W6 x 8.5
STEEL POST**
See Note 6



**W6 x 15
STEEL POST**



**8" x 12"
NOTCHED WOOD BLOCK**
See Notes 2, 3 and 7



**8" x 8"
NOTCHED WOOD BLOCK**
Only for use with metal beam guard railing. See Note 5

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION
**MIDWEST GUARDRAIL SYSTEM
STEEL POST AND
NOTCHED WOOD BLOCK DETAILS**

NO SCALE
RSP A77N2 DATED JANUARY 20, 2017 SUPERSEDES RSP A77N2 DATED NOVEMBER 15, 2013 AND RSP A77N2 DATED JULY 19, 2013 THAT SUPPLEMENTS THE STANDARD PLANS BOOK DATED 2010.

REVISED STANDARD PLAN RSP A77N2

2010 REVISED STANDARD PLAN RSP A77N2