



DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET TOTAL SHEETS





  
 REGISTERED CIVIL ENGINEER  
 No. CS7393  
 Exp. 3-31-12  
 STATE OF CALIFORNIA

May 20, 2011  
 PLANS APPROVAL DATE  
 THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.



MOUNTING BEAM SPACING TABLE

SIGN PANEL LENGTH *	NUMBER MOUNTING BEAMS	SIGN PANEL OVERHANG		
		"B"	"C"	"E"
5'-0"	2	9"	3'-6"	
6'-0"		1'-0"	4'-0"	
7'-0"		1'-3"	4'-6"	
8'-0"		1'-6"	5'-0"	
9'-0"		1'-10"	5'-6"	
10'-0"		2'-0"	6'-0"	
11'-0"		2'-0"	7'-0"	
12'-0"		2'-6"	7'-0"	
13'-0"		2'-6"	8'-0"	
14'-0"		2'-6"	9'-0"	
15'-0"		3'-0"	9'-0"	
16'-0"	3	6"	7'-6"	7'-6"
17'-0"		1'-0"	7'-6"	7'-6"
18'-0"		1'-0"	8'-0"	8'-0"
19'-0"		1'-0"	8'-6"	8'-6"
20'-0"		1'-6"	8'-6"	8'-6"
21'-0"		1'-6"	9'-0"	9'-0"
22'-0"		2'-0"	9'-0"	9'-0"
23'-0"		2'-6"	9'-0"	9'-0"
24'-0"		3'-0"	9'-0"	9'-0"



NOTES:

- The location of the horizontal splice line is dependent on the Contractor for signs greater than 60" in depth.
- Mounting bolts and clamps are required on each side of the horizontal splice lines at each support beam.
- Dimension varies from panel to panel. Average value approximate 1 1/4".
- Torque stainless steel sign panel mounting bolts to 100 inch-pounds.
- Chord angle clamp to be galvanized after fabrication.
- The Contractor shall verify all dependent dimensions in the field before ordering or fabricating any material.
- 9'-2" and 10'-0" sign panel along with the mounting beams will project above the top chord truss member 10" and 1'-8" respectively. Attachment details shall be the same.

STATE OF CALIFORNIA  
 DEPARTMENT OF TRANSPORTATION  
**OVERHEAD SIGNS-TRUSS  
 SIGN MOUNTING DETAILS  
 LAMINATED PANEL-TYPE A**  
 NO SCALE