


**FACE VIEW OF LAMINATED PANEL**  
Two panels shown, see Note 6



**SECTION B-B**

|      |        |       |                          |           |              |
|------|--------|-------|--------------------------|-----------|--------------|
| DIST | COUNTY | ROUTE | POST MILES TOTAL PROJECT | SHEET NO. | TOTAL SHEETS |
|      |        |       |                          |           |              |


Stanley P. Johnson  
 REGISTERED CIVIL ENGINEER  
 No. CS793  
 Exp. 3-31-12  
 CIVIL  
 STATE OF CALIFORNIA

May 20, 2011  
 PLANS APPROVAL DATE  
 THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.


**TABLE**  
TYPE B PANEL  
2 1/2" THICK

| DEPTH | LENGTH           |
|-------|------------------|
| 5'-0" | 15'-6" TO 16'-6" |
| 4'-6" | 15'-6" TO 18'-6" |
| 4'-0" | 15'-6" TO 20'-6" |
| 3'-6" | 15'-6" TO 23'-6" |
| 3'-0" | 15'-6" TO 24'-0" |
| 2'-6" | 15'-6" TO 24'-0" |
| 2'-0" | 15'-6" TO 24'-0" |
| 1'-6" | 15'-6" TO 24'-0" |

See Note 4



**SECTION A-A**



**BOLT HOLE (TYPICAL)**

- NOTES:**
1. See Standard Plan S85 for post spacing table.
  2. See Standard Plan S86 for extrusion details.
  3. All horizontal extrusions shall be continuous.
  4. Depth and length of panel shall be graduated in increments of 6".
  5. For multiple panel signs, see Standard Plan S85 for seam closure extrusion quantities.
  6. Place three  $\frac{1}{8}$ "  $\phi$  weep holes in bottom of each panel. One hole in the center and one hole 3" from each end.

STATE OF CALIFORNIA  
 DEPARTMENT OF TRANSPORTATION  
**ROADSIDE LAMINATED SIGN  
 SINGLE OR MULTIPLE PANEL  
 (TYPE B, 2 1/2" THICK)**

NO SCALE

**S83**