



**WALL DRAIN DETAIL**




**NOTES:**  
 Area of opening to be not less than that of pipe from wall gutter. Make opening transition in wall. Edge opening in curb face to 3/4\"/>


**OUTLET DETAIL - SECTION B-B**




**WALL DRAINAGE WHERE GUTTER NOT REQUIRED**




**SECTION A-A**



**RETAINING WALL, FACE OF WALL OUTLET**




**RETAINING WALL, GUTTER OUTLET**




**PLAN-OFFSET WALL PLAN-CONTINUOUS WALL**

**DRAIN THROUGH RETURN WALL**




**WALL DRAIN WITH PIPE DOME**



**TYPICAL GUTTER DETAIL**



**GRATE DETAIL**  
 Sizes to fit standard hubs



**RETAINING WALL UTILITY OPENING**

Max size of opening (A) = 48"  
 To be used in conjunction with sheet **B3-5**

STATE OF CALIFORNIA  
 DEPARTMENT OF TRANSPORTATION

**RETAINING WALL DETAILS No. 2**

NO SCALE

DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET TOTAL SHEETS

*Gary Wong*  
 REGISTERED CIVIL ENGINEER

October 30, 2015  
 PLANS APPROVAL DATE

Gary Wong  
 No. C58238  
 Exp. 6-30-16  
 CIVIL  
 STATE OF CALIFORNIA

THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.