



TOP VIEW
END VIEW
No. 3 1/2, 5, OR 6 PULL BOX INSTALLATION
DETAIL A




TOP VIEW
END VIEW
No. 9 PULL BOX INSTALLATION
DETAIL B



INSTALLATION IN SLOPING PARAPETS
DETAIL D

DETAIL E



END VIEW
SIDE VIEW
TOP VIEW
END VIEW
END VIEW
No. 9A PULL BOX INSTALLATION
DETAIL C

- NOTES:**
1. Axis of pull box shall be parallel to top of barrier, sidewalk or railing.
 2. See railing sheet for reinforcement and structural details at electroliers and pull boxes.
 3. Top of pull boxes in sidewalk areas shall be flush with sidewalk. Modify base of pull box as required.
 4. Boxes inside of vertical barrier or railing shall be closed during pouring of PCC with 1/4" plywood of sufficient size to provide 1:1 chamfer on 3 sides of cover. Upper edge of plywood shall fit against lower edge of raintight hood.
 5. Use drain in center if box is horizontal, or at low end if box is inclined. When box is mounted in sloping parapet 1/2" elongated drain hole inside at center or near end as required for drainage.
 6. For electrolier anchorage bolts and grouting details, see Standard Plan ES-6B.
 7. See Standard Plan B14-3 for conduit in concrete barrier.

STATE OF CALIFORNIA
 DEPARTMENT OF TRANSPORTATION
ELECTRICAL SYSTEMS
(STRUCTURE PULL BOX
INSTALLATIONS)

NO SCALE

ES-9D

DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET NO.	TOTAL SHEETS

Theresa Gabriel
 REGISTERED ELECTRICAL ENGINEER
 No. E15129
 Exp. 6-30-16
 ELECTRICAL ENGINEER
 STATE OF CALIFORNIA

October 30, 2015
 PLANS APPROVAL DATE
 THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.